

JAT IP		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
T76.2139	JAT IP.500	117.0	2 850	113.0	2 750	108.0	2 625	103.0	2 500
T76.2149	JAT IP.750	149.0	3 625	144.0	3 500	139.0	3 375	134.0	3 250
T76.2715	JAT IP.1000	175.0	4 250	170.0	4 125	164.0	4 000	159.0	3 875
T76.2123	JAT IP.1500	241.0	5 875	236.0	5 750	231.0	5 625	226.0	5 500
T76.2123	JAT IP.2000	282.0	6 875	277.0	6 750	272.0	6 625	267.0	6 500

JOT IP IHB		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
EI96/45-5	JOT IP IHB 160	65.0	1 572	59.0	1 429	55.0	1 334	51.0	1 239
EI96/60-5	JOT IP IHB 250	80.0	1 950	80.0	1 930	79.0	1 910	78.0	1 900

Při provedení sekundáru 110 V a 24 V příplatek za zásuvku 150 Kč

JAT		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
EI78/27-5	JAT. 1.8	25.0	610	25.0	590	24.0	570	23.0	550
EI96/35-5	JAT. 4.0	34.0	815	33.0	785	32.0	760	30.0	730
EI120/40-5	JAT. 7.0	50.0	1 200	48.0	1 165	46.0	1 120	45.0	1 080
EI135/52-5	JAT. 13.0	99.0	2 400	95.0	2 310	92.0	2 230	88.0	2 145
EI150N/66-5	JAT. 20.0	99.0	2 400	95.0	2 310	92.0	2 230	88.0	2 145
EI174/72-5	JAT. 30.0	148.0	3 600	143.0	3 480	138.0	3 350	132.0	3 220
EI78/27-5	JAT.1.0	25.0	610	25.0	590	24.0	570	23.0	540
EI96/35-5	JAT.2.0	34.0	815	33.0	785	32.0	760	30.0	730
EI120/40-5	JAT.4.0	50.0	1 200	48.0	1 165	46.0	1 120	45.0	1 080
EI135/52-5	JAT.6.5	64.0	1 540	62.0	1 490	59.0	1 430	57.0	1 380
EI150N/66-5	JAT.10.0	99.0	2 400	96.0	2 330	92.0	2 240	89.0	2 160
EI174/72-5	JAT.15.0	148.0	3 600	143.0	3 480	138.0	3 350	133.0	3 230

JOT UI		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
E220/77-5	JOT UI 2.00	213.0	5180	210.0	5106	205.0	4995	198.0	4810
E250/77-5	JOT UI 3.15	270.0	6580	266.0	6486	261.0	6345	251.0	6110

E300/78-5	JOT UI 4.50	371.0	9030	365.0	8901	357.0	8708	344.0	8385
E350/73-5	JOT UI 6.30	468.0	11410	461.0	11247	451.0	11003	435.0	10595
E350/73-5LK	JOT UI 8.00	589.0	14350	580.0	14145	568.0	13838	547.0	13325
E350/103-5LK	JOT UI 10.0	766.0	18690	756.0	18423	739.0	18023	712.0	17355
E350/133-5LK	JOT UI 13.5	924.0	22540	911.0	22218	891.0	21735	858.0	20930

JOT		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
EI66/23-5	JOT 25	17.0	410	16.0	390	16.0	380	16.0	370
EI78/27-5	JOT 63	21.0	500	20.0	480	20.0	470	19.0	460
EI84/43-5	JOT 100	25.0	590	24.0	570	23.0	560	23.0	550
EI96/45-5	JOT 160	30.0	720	29.0	700	29.0	690	28.0	680
EI105/60-5	JOT 250	32.0	780	32.0	760	31.0	750	31.0	740
EI105/60-5	JOT 315	34.0	810	33.0	790	32.0	780	32.0	770
EI120/53-5	JOT 400	44.0	1050	43.0	1030	42.0	1020	42.0	1 010
EI120/73-5	JOT 500	50.0	1200	49.0	1180	48.0	1170	48.0	1 160
EI150N/49-5	JOT 630	60.0	1450	59.0	1430	59.0	1420	58.0	1 410
EI150N/66-5	JOT 800	75.0	1820	74.0	1800	74.0	1790	73.0	1 780
EI150N/92-5	JOT 1000	82.0	1990	81.0	1970	81.0	1960	80.0	1 950
EI174/72-5	JOT 1600	117.0	2850	116.0	2830	116.0	2820	116.0	2 810
EI174/102-3	JOT 2000	146.0	3550	145.0	3530	144.0	3510	144.0	3 500

Třířákové transformátory		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
D100/21-5	TOT 0.100	44.0	1 065	44.0	1 050	43.0	1 025	41.0	990
D100/21-5	TOT 0.125	45.0	1 095	45.0	1 088	44.0	1 055	42.0	1 020
D100/31-5	TOT 0.160	64.0	1 555	63.0	1 530	62.0	1 500	60.0	1 450
D125/25-5	TOT 0.200	71.0	1 710	70.0	1 685	68.0	1 650	66.0	1 590
D125/25-5	TOT 0.250	72.0	1 740	71.0	1 710	69.0	1 675	67.0	1 615
D125/40-5	TOT 0.315	80.0	1 950	79.0	1 920	78.0	1 880	75.0	1 810

D125/40-5	TOT 0.400	82.0	1 980	80.0	1 950	79.0	1 905	76.0	1 835
D150/30-5	TOT 0.500	111.0	2 690	109.0	2 650	107.0	2 595	103.0	2 500
D150/40-5	TOT 0.630	121.0	2 940	119.0	2 900	117.0	2 835	112.0	2 730
D150/50-5	TOT 0.800	130.0	3 170	129.0	3 130	126.0	3 060	121.0	2 950
D190/40-5	TOT 1.000	171.0	4 170	169.0	4 110	165.0	4 025	159.0	3 870
D190/40-5	TOT 1.250	174.0	4 240	172.0	4 180	168.0	4 095	162.0	3 940
D200/66-5	TOT 1.600	198.0	4 830	196.0	4 760	191.0	4 660	185.0	4 490
D200/66-5	TOT 2.000	201.0	4 900	198.0	4 830	194.0	4 725	187.0	4 550
D220/72-5	TOT 2.500	306.0	7 450	301.0	7 340	295.0	7 185	284.0	6 920
D250/52-5	TOT 3.150	380.0	9 270	375.0	9 140	367.0	8 940	353.0	8 610
D250/77-5	TOT 4.0	405.0	9 870	399.0	9 730	391.0	9 520	376.0	9 165
D300/78-5	TOT 6.2	525.0	12 810	518.0	12 630	507.0	12 355	488.0	11 895

Tlumivky pro FM LENZE									
Pro FM LENZE 1f		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč

Pro FM LENZE 3f - 230V		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
D80/25-5	BOH02031	39.0	940	38.0	920	37.0	900	37.0	880
D100/30-5	BOH02032	42.0	1 020	41.0	1 000	41.0	980	40.0	960
D125/40-5	BOH02034	53.0	1 280	52.0	1 250	51.0	1 230	50.0	1 210
D150/30-3	BOH02016	99.0	2 400	98.0	2 380	97.0	2 360	96.0	2 340

Pro FM LENZE 3f - 400V		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč

#### Jednofázové síťové zdroje

JSZ		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
-----	--	------	------	--------	--------	--------	--------	----------	----------

Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
EI78/27-5	JSZ.35	41.0	985	39.0	950	38.0	920	37.0	885
EI78/27-5	JSZ.55	43.0	1 030	41.0	995	40.0	960	38.0	925
EI84/29-5	JSZ.75	56.0	1 365	55.0	1 320	53.0	1 275	51.0	1 230
EI84/43-5	JSZ.100	58.0	1 410	56.0	1 365	54.0	1 315	53.0	1 270
EI96/60-5	JSZ.120	108.0	2 630	105.0	2 540	101.0	2 450	97.0	2 365
EI120/40-5	JSZ.180	123.0	3 000	119.0	2 900	115.0	2 800	111.0	2 700
EI120/53-5	JSZ.240	128.0	3 120	124.0	3 015	120.0	2 915	116.0	2 810
EI84/43-5	JSZ.144	115.0	2 800	112.0	2 710	108.0	2 630	105.0	2 550

JS24	1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení	EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
JS24-1.0	48.0	1 160	46.0	1 100	44.0	1 050	38.0	920
JS24-2.0	55.0	1 320	52.0	1 250	46.0	1 110	41.0	985
JS24-3.0	60.0	1 450	56.0	1 350	53.0	1 290	45.0	1 090
JS24-4.0	63.0	1 520	61.0	1 470	58.0	1 400	50.0	1 220

Třífázové síťové zdroje									
TSZA		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
D150/50-5	TSZA.25	193.0	4 695	187.0	4 540	180.0	4 380	174.0	4 230
D190/40-5	TSZA.35	234.0	5 700	226.0	5 510	219.0	5 320	211.0	5 130

TSZC		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
D200/66-5	TSZC.60	447.0	10 905	433.0	10 545	418.0	10 180	403.0	9 815

TSZB		1ks.	1ks.	2-4ks.	2-4ks.	5-9ks.	5-9ks.	10-49ks.	10-49ks.
Typové provedení		EUR	Kč	EUR	Kč	EUR	Kč	EUR	Kč
D125/26-5	TSZB.10	109.0	2 650	98.0	2 380	90.0	2 180	83.0	2 020
D150/51-5	TSZB.25	171.0	4 160	155.0	3 780	140.0	3 415	131.0	3 180